

# **T7 Release 6.0**

## **Contract Notes Description**

Version	1.1
Date	22. September 2017

© 2017 Copyright by Deutsche Boerse AG ("DBAG"). All rights reserved.

All intellectual property, proprietary and other rights and interests in this publication and the subject matter of this publication are owned by DBAG or other entities of Deutsche Boerse Group. This includes, but is not limited to, registered designs and copyrights as well as trademark and service mark rights.

Specifically, the following trademarks and service marks are owned by entities of Deutsche Boerse Group:

Buxl®, DAX®, DivDAX®, eb.rexx®, Eurex®, Eurex Bonds®, Eurex Repo®, Eurex Strategy WizardSM, Euro GC Pooling®, F7®, FDAX®, FWB®, GC Pooling®, GCPI®, M7®, MDAX®, N7®, ODAX®, SDAX®, T7®, TecDAX®, USD GC Pooling®, VDAX®, VDAX-NEW® and Xetra® are registered trademarks of DBAG.

The following trademarks and service marks are used by Deutsche Boerse Group under license and are property of their respective owners:

All MSCI indexes are service marks and the exclusive property of MSCI Barra. ATX®, ATX® five, CECE® and RDX® are registered trademarks of Vienna Stock Exchange AG.

IPD® UK Annual All Property Index is a registered trademark of Investment Property Databank Ltd. IPD and has been licensed for the use by Eurex for derivatives.

SLI®, SMI® and SMIM® are registered trademarks of SIX Swiss Exchange AG.

The STOXX® indexes, the data included therein and the trademarks used in the index names are the intellectual property of STOXX Limited and/or its licensors. Eurex derivatives based on the STOXX® indexes are in no way sponsored, endorsed, sold or promoted by STOXX and its licensors and neither STOXX nor its licensors shall have any liability with respect thereto. Bloomberg Commodity IndexSM and any related sub-indexes are service marks of Bloomberg L.P.

PCS® and Property Claim Services® are registered trademarks of ISO Services, Inc.

Korea Exchange, KRX, KOSPI and KOSPI 200 are registered trademarks of Korea Exchange Inc. Taiwan Futures Exchange and TAIFEX are registered trademarks of Taiwan Futures Exchange Corporation. Taiwan Stock Exchange, TWSE and TAIEX are the registered trademarks of Taiwan Stock Exchange Corporation.

BSE and SENSEX are trademarks/service marks of Bombay Stock Exchange (BSE) and all rights accruing from the same, statutory or otherwise, wholly vest with BSE. Any violation of the above would constitute an offence under the laws of India and international treaties governing the same.

Methods and devices described in this publication may be subject to patents or patent applications by entities of Deutsche Boerse Group.

Information contained in this publication may be erroneous and/or untimely. Neither DBAG nor any entity of Deutsche Boerse Group makes any express or implied representations or warranties regarding the information contained herein. This includes any implied warranty of the information's merchantability or fitness for any particular purpose and any warranty with respect to the accuracy, correctness, quality, completeness or timeliness of the information.

Neither DBAG nor any entity of Deutsche Boerse Group shall be responsible or liable for any errors or omissions contained in this publication, except for DBAG's or the respective Deutsche Boerse Group entity's wilful misconduct or gross negligence.

Neither DBAG nor any entity of Deutsche Boerse Group shall be responsible or liable for any third party's use of any information contained in this publication under any circumstances.

All descriptions, examples and calculations contained in this publication are for illustrative purposes only, and may be changed without further notice.

The names of other companies and third party products may be trademarks or service marks of their respective owners.

## **Content**

<b>1. Introduction</b>	<b>4</b>
<b>2. Contract Notes (SWIFT format)</b>	<b>5</b>
2.1 Header message (SWIFT MT598)	5
2.1.1 Block 1 (Basic Header)	5
2.1.2 Block 2 (Application Header)	6
2.1.3 Block 4 (Text Block)	6
2.2 MT512 message	7
2.2.1 Block 1 (Basic Header)	7
2.2.2 Block 2 (Application Header)	8
2.2.3 Block 4 (Text Block)	9
2.2.4 Layout Example	18
2.3 Trailer Message (SWIFT MT598)	18
2.3.1 Block 1 (Basic Header)	18
2.3.2 Block 2 (Application Header)	19
2.3.3 Block 4 (Text Block)	20
<b>3. Contract Notes (Print / Formatted Layout)</b>	<b>21</b>
<b>4. Appendix</b>	<b>24</b>
4.1 Valid values	24
4.1.1 Type of Custody	24
4.1.2 Coupon Date	26
<b>5. Change log</b>	<b>27</b>

## 1. Introduction

This document describes the content and structure of the contract notes offered by Xetra. Contract notes are offered in SWIFT format MT512 and in a print / formatted layout. It is the decision of the member which version he wants to receive.

The member can also decide for which trading location (Xetra Frankfurt and / or Xetra Frankfurt Specialist) and for which role (Clearing member or not) he wants to receive contract notes. Additionally, for Xetra Frankfurt Specialist the member can decide if he wants to receive contract notes for trades with or without Order Level Netting or for both.

The contract notes are generated during the end-of-day processing.

The contracts notes in SWIFT format are exclusively sent via File Transfer SNA, the ones in printed / formatted layout only via Common Report Engine.

## 2. Contract Notes (SWIFT format)

Each contract note starts with one header message and ends with one trailer message using SWIFT MT598. Header and trailer message encapsulate the SWIFT MT512 messages.

### 2.1 Header message (SWIFT MT598)

The header message consists of three Blocks: Block 1, 2 and 4. Block 3 is optional and is not printed.

Block 1 and 2 form the header of a message; Block 4 contains the data in the text block.

#### 2.1.1 Block 1 (Basic Header)

Field	Format	Content
Block Starting Point & Identification	3!x	Always: "{1:"
Application Identification	1!x	Always: "F"
Service Identification	2!n	Always: "01"
LT Address	12!x	SWIFT address of the of the recipient
Session Number	4!n	Always: "0000"
Sequence Number	6!n	Sequence number starting with 600001.
Block End	1!x	Always: "}"

**2.1.2 Block 2 (Application Header)**

Field	Format	Description
Block Starting Point & Identification	3!x	Always: "{2:"
Input / Output Identification	1!x	Always: "O"
Message Type	3!n	Always: "598"
Time	4!x	Local time of the sender (HHMM)
Input Reference of the Message: - Input Date	6!x	Date (local date of the sender YYMMDD)
SWIFT Address	12!x	SWIFT address of the sender
Session Number	4!x	Always: "0000"
Sequence Number	6!x	Sequence number starting with 600001
Output Date	6!n	Local date (YYMMDD)
Local Time of the Output	4!n	Local time (HHMM)
Message Priority	1!x	Always: "N"
Block end	1!x	Always: "}"

**2.1.3 Block 4 (Text Block)**

Qualifier	Field Name	Format
	Block Starting Point & Identification	Always: "{4:" 3!x
20	Transaction number, consists of: <b>Exchange trading day</b> (YYMMDD) <b>Sequence number</b> , always "0000001"	6n7n 6n 7n
12	Message type. Always "000" (opening record)	3n

Qualifier	Field Name	Format
77E	<p>Message pursuant to special agreement. Consists of:</p> <p><b>Transmission identification:</b> 'BOEGA-SDTX' (Xetra data carrier) or 'BOEGA-SDTW' (Xetra Frankfurt Specialist data carrier) or 'BOEGA-SDTL' (Xetra Frankfurt Specialist OLN data carrier)</p> <p><b>Creation date</b> (YYMMDD)</p> <p><b>Creation time</b> (HHMMSS)</p> <p><b>Exchange trading day</b> (YYMMDD)</p>	<p>10x</p> <p>6n</p> <p>6n</p> <p>6n</p>
Block End	Always: "}"	1!x

## 2.2 MT512 message

Each MT512 message consists of three Blocks: Block 1, 2 and 4. Block 3 is optional and is not printed.

Block 1 and 2 form the header of a message; Block 4 contains the data in the text block.

Between a MT598 header / trailer message several MT512 messages can be included.

### 2.2.1 Block 1 (Basic Header)

Field	Format	Content
Block Starting Point & Identification	3!x	Always: "{1:"
Application Identification	1!x	Always: "F"
Service Identification	2!n	Always: "01"
LT Address	12!x	Member's SWIFT address
Session Number	4!n	Always: "0000"
Sequence Number	6!n	Increasing sequence number starting with 600002
Block End	1!x	Always: "}"

**2.2.2 Block 2 (Application Header)**

Field	Format	Content
Block Starting Point & Identification	3!x	Always: "{2:"
Output Identification	1!x	Always: "O"
Message Type	3!n	Always: "512"
Input Time	4!x	Local time of the sender (HHMM)
Input Reference of the Message: Input Date SWIFT Address	6!x 12!x	Date (local date of the sender YYMMDD) SWIFT address of the sender, "DWZXDEFFBBGA".
-Session Number	4!x	Always: "0000"
Sequence Number	6!x	Sequence number starting with 600002
Output Date	6!n	Local date (YYMMDD)
Local Time of the Output	4!n	Local time (HHMM)
Message Priority	1!x	Always: "N"
Block End	1!x	Always: "}"



### 2.2.3 Block 4 (Text Block)

Fields that have been changed from the previous version of this document have a yellow background and description in bold letters.

Qualifier	Field Name	Format	O/M	Comment
	Block Starting Point & Identification	3!x		Always: "{4:"
20:	Trade no		M	
	- Exchange trading place	3n		"194": trading location Xetra "130": trading location Xetra Frankfurt Specialist, no order level netting "133": trading location Xetra Frankfurt Specialist, with order level netting
	- Exchange trading day	6n		Format YYMMDD
	- Serial number	7n		Trade number. Only unique in the context of the ISIN and the exchange if exchange trading place is "194".
21:	Order reference		M	Only one of the 3 below fields is provided depending on the selection of the member.
	- 'XET' constant for Xetra	3a13x		"XET" + order number, if the member has chosen the System Order Number to be shown  The System Order Number is converted from decimal to basis 36 using the Horner scheme in case of exchange trading place "194"
	- Order number	13n		Member internal order number, if the member has chosen the member internal order number to be shown.
	/NONREF			If the member has chosen to show no reference at all.

Qualifier	Field Name	Format	O/M	Comment
23:	Transaction type		M	
	- 'BOUGHT' or 'SOLD'	6a		
	- Record type	/3n		'112' – Buy – Xetra '113' – Buy – Xetra Frankfurt Specialist '118' – Buy – Xetra Frankfurt Specialist OLN '122' – Sell – Xetra '123' – Sell – Xetra Frankfurt Specialist '128' – Sell – Xetra Frankfurt Specialist OLN  For OTC trades: '213' – Buy – Xetra Frankfurt Specialist '223' – Sell – Xetra Frankfurt Specialist
	- Indication release for delivery	/[1a]		'J' – ("yes"): automatic release for delivery after execution  'N' – ("no"): no automatic release for delivery after execution  If no information is available the field is skipped and only a "/" is reported.
	- Empty field	/		Field contains only a slash
	- Indicator own account trading	/2x		A1 – agent P1 – proprietary <b>PP – proprietary</b> M1 – Designated Sponsor I1 – issuer Q1 – Liquidity Manager
	- Indicator for on/off-exchange trading	/2x		'AB' – off-exchange trading 'BS' – on-exchange trading
	- Netting type	[/1a]		O – Order Level Netting  Field is not provided if the trade is without Order Level Netting.

Qualifier	Field Name	Format	O/M	Comment
31P:	Transaction details		M	
	- Trade Date	6n		Format YYMMDD
	- Originator's exchange trading place	3x		"194" Xetra "130" Xetra Frankfurt Specialist
	- Indicator fixed value date	//[2a]//		'FZ' - value vs. payment 'FI' - value international or empty
30:	Further transaction details		M	
	- Settlement date	6n		Settlement date (YYMMDD) or constant "000000"
	- Time of entry	/[6n]		Format HHMMSS
	- Exchange trading place of registration	/[3x]		"194" Xetra "130" Xetra Frankfurt Specialist
	- Two empty fields	//		
	<b>MIC Venue</b>	<b>/[4x]</b>		<b>"XETR"</b> <b>"XFRA"</b>
	<b>OTC Post-Trade Indicator</b>	<b>/</b>		<b>This field is currently not used.</b>

Qualifier	Field Name	Format	O/M	Comment
35A:	Type and Number of units/nominal value of security		M	
	- Type of security	3a		SHS = shares BON = bonds BCE = bonds, similar to certificates CER = certificates FUN = funds SUB = subsidiary rights RTE = profit-sharing rights WTS = warrants UNT = units MSC = others
	- Unit or nominal value	10n,3n		

Qualifier	Field Name	Format	O/M	Comment
35B:	1st row		M	
	- ISIN	ISINb12c		
	2nd row			
	- Securities short name	35x		
	3rd row			
	- Type of custody	3n		See chapter 4.1.1.
	- Unit of security quotation	1n		'1' - unit quotation '2' - percentage quotation '3' - per thousand quotation
	- Interest rate	/[4n,9n]		Only used when field "Unit of security quotation" is filled with "2" or "3".
	- Coupon date	/[8x]		Only used when field "Unit of security quotation" is filled with "2" or "3".  See chapter 4.1.2.
	- Indicator – security with pool factor / funding debentures	/[2x		Only used for securities with pool factor. 'PF' - securities with pool factor 'FS' - funding debentures 'IK' - index coefficient
	- Pool factor / conversion factor	1n,9n]/		Only used for securities with pool factor.
	4th row			
	- Serial ISIN	[ISIN1!e12c]		Only used when the traded ISIN is a serial ISIN.
82D:	- Counterparty	/4n	M	CBF account number.  For CCP Trades: 8501 or 7525
	<b>LEI</b>	<b>/</b>		<b>This field is currently not used.</b>

Qualifier	Field Name	Format	O/M	Comment
87F:	Buyer		M	
	- Constant 'APMT'	APMT		
	- Constant 'C' for buyer	/C		
	- CBF-account no	/4n		CBF account number of buyer. If CCP is buyer: 8501 or 7525
87F:	Seller		O	
	- Constant 'APMT'	APMT		
	- Constant 'D' for seller	/D		
	- CBF-account no	/4n		CBF account number of seller. If CCP is seller: 8501 or 7525
33T:	Contract price		M	
	- Currency code	3a		
	- Amount	6n,4n		
32M:	Market value		O	
	- Currency code	3a		
	- Amount	12n,2n		

Qualifier	Field Name	Format	O/M	Comment
34G/H:	Interest accrued		O	34G is used when the subfield Amount has a positive sign, 34H is used for a negative amount.
	- Interest days	[3n]		Only used when accrued interest is available (e.g. for instruments in unit quotation).
	- Currency code	[3a]		Only used when accrued interest is available (e.g. for instruments in unit quotation).
	- Amount	[10n,2n]		Only used when accrued interest is available (e.g. for instruments in unit quotation).
71C:	Fees and charges		O	Only used for OTC trades and if additional costs are available.
	- Constant "/BROK/"	[/8a/]		
	- Currency code	[3a]		
	- Amount of additional costs	[7n,2n]		Negative, if subtracted from settlement amount, positive, if added to settlement amount.
	- Prefix brokerage fees	[/1a]		'N', if amount of additional costs is negative, otherwise field is omitted.
36:	Exchange rate	[7n,11n]	O	Only used if settlement is in non-EUR currencies. Rate is related to one Euro.
34B:	Settlement details		M	
	- Currency code	3a		
	- Settlement amount	12n,2n		

Qualifier	Field Name	Format		Comment
57B:	CCP transaction information		O	
	- CCP Indicator	[1a]		'J' – CCP trade Field is not reported for non-CCP transactions
	- CBF account number of Clearing Member	[/4n]		Field is filled with settlement account buy for buy trades and settlement account sell for sell trades
72:	Information sender to recipient		M	
	1 <sup>st</sup> row			
	- Originator	4n		"7501": trading location Xetra , "7540": trading location Xetra Frankfurt Specialist, no order level netting "8501": trading location Xetra Frankfurt Specialist, with order level netting
	2 <sup>nd</sup> row			
	- Recipient of trade confirmation	4n		Settlement account buy or sell
	- German security ID (WKN)	[/6x]		Only used if WKN is available.
	3 <sup>rd</sup> row			
	- Trade date	6n		Format YYMMDD
	- Trade time	12n		Format HHMMSSDDDDDD



Qualifier	Field Name	Format	O/M	Comment
	-Xetra: Tradecode- suffix	[9n		For Xetra Frankfurt Specialist only: Due to the order level netting process, each partial execution in Xetra generates an update on the trade. Instead of using a new trade ID the trade ID suffix will be counted up. The Xetra trade code suffix can be used to distinguish between the different partial executions.
	- Trader ID	6x]		
	4th row			Only provided for trading location Xetra
	- Variable text from Xetra	[35x]		<p>In case of Xetra Best trades: "XETRA" + Text field + ["/" + Best Executor ID]* Example: XETRA/xxxxxxxxxxx/ABCFR</p> <p>For Xetra OTC trades having the CCP as the counterparty, the field "Executor ID" is filled with the Xetra member ID with whom the OTC trade was contracted.</p> <p>* This part is optional and only provided for trades with a Best Executor involved or for OTC trades having the CCP as the counterparty.</p> <p><b>This field is currently not used.</b></p>
	Block End	1!x		Always: "}"



**2.3.2 Block 2 (Application Header)**

Field	Format	Description
Block Starting Point & Identification	3!x	Always: "{2:"
Input / Output Identification	1!x	Always: "O"
Message Type	3!n	Always: "598"
Time	4!x	Local time of the sender (HHMM).
Input Reference of the Message:		
Input Date	6!x	Date (local date of the sender YYMMDD)
SWIFT Address	12!x	SWIFT address of the sender (DWZXDEFFBGA)
Session Number	4!x	Always "0000"
Sequence Number	6!x	Increasing sequence number starting with 600001
Output Date	6!n	Local date (YYMMDD)
Local Time of the Output	4!n	Local time (HHMM)
Message Priority	1!x	Always: "N"
Block end	1!x	Always: "}"

**2.3.3 Block 4 (Text Block)**

Qualifier	Field Name	Format
Block Starting Point & Identification	Always: "{4:"	3!x
20:	Transaction number, consists of: Exchange trading day (YYMMDD) Fixed number, always "0000001"	6n7n 6n 7n
12:	Message type. Always "002" (closing record)	3n
77E:	Message pursuant to special agreement. Consists of:  <b>Transmission identification:</b> 'BOEGA-SDT '  <b>Number of records transmitted</b> (incl. heading and trailing records)  <b>Nominal amount</b> (field 35A; sum of all MT512s; numerical overflow is neglected)  <b>Settlement amount</b> (field 34B; sum of all MT512s; numerical overflow is neglected)	10x  6n  /10n,3n  /12n,2n
Block End	Always: "}"	1!x

### 3. Contract Notes (Print / Formatted Layout)

The contract notes are also offered in a printable / formatted layout. This format is only a light version of the contract notes as it does contain only a small set of the fields provided via MT512.

Six different versions of the report are provided depending on the trading location, Order Level Netting yes/no and member role (all parameters can be defined by the member):

- RPTBP105; Printed Contract Note XETR
- RPTBP106; XCM Printed Contract Note XETR (if CM role is set up)
- RPTBP200; Printed Contract Note XFRA OLN
- RPTBP201; XCM Printed Contract Note XFRA OLN (if CM role is set up)
- RPTBP205; Printed Contract Note XFRA
- RPTBP206; XCM Printed Contract Note XFRA (if CM role is set up)

#### Notes on format:

This report is only available in print format. All six versions of the report have the same format.

#### Notes on creation:

The report is created during end-of-day processing.

#### Sorting order:

#	FIELD NAME
1	MEMBER ID
2	KV NUMBER
2	ISIN
3	TRADE DATE
3	DEVIATING TRADE DATE

**Fields:**

REF	FIELD NAME	DESCRIPTION
1	MEMBER ID	Identification of the member.
2	KV NUMBER	KV number the trades are assigned to.
3 4	ISIN	ISIN of the traded instrument and short name.
5	CUSTODY TYPE	Custody type the instrument is held in.
6	SETTL. CUR	Currency the trades are settled in.
7	TRADE DATE	Trade date.
8	DEVIATING TRADE DATE	Deviating trade date (in case of OTC trades).
9	TRADE NUMBER	Trade number. Only unique in the context of the ISIN in case of RPTPB105 and RPTPB106.
10	TRD SUF	Trade number suffix.
11	B S	Buy / sell type.
12	A T	Account type where trade was booked on.
13	NOMINAL/QUANTITY	Nominal / quantity of the trade.
14	TRADE PRICE	Trade price.
15	SETTLEMENT AMOUNT	Settlement amount.
16	ACCRUED INTEREST AMNT	Amount of the accrued interest.
17	INT DAY	Number of interest days.
18	COUN PART	Counterparty information.
19	ORIGINATOR	Originator information.
20	COMMISSION	Additional cost (Courtage).

Layout example:

	1	2	3	4	5	6	7	8	9	10	11	12	13
01	PRINTED CN XFRA OLN											PAGE: 2	
02	RPTBP200	AS OF DATE: 07-05-12 03										RUN	
04	DATE: 07-05-12												
05	MEMBER ID : ABCFR (1) KV NUMBER : 1234 (2)												
08	ISIN : DE0005003404 ISINSHORTNAMExxxxxxxxxxxxxxxxxxxxx (3/4) CUSTODY TYPE: AKV (5)												
07	SETTL. CUR: EUR (6) TRADE DATE: 07-05-12 (7) DEVIATING TRADE DATE: 04-05-12 (8) 09												
10	TRADE TRD	B A	NOMINAL/	TRADE	SETTLEMENT	ACCRUED	INT COUN	ORIG	COMMISSION				
11	NUMBER	SUF	S T	QUANTITY	PRICE	AMOUNT	INTEREST	AMNT	DAY	PART			
	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
12	-----												
13	1234567	12345	B A	1,234,567,890.123	123,456.1234	123,456,789,012.12	1,234,567,890.12	999	1234	7501	1.234.567,12		
14	1234567	12345	B A	1,234,567,890.123	123,456.1234	123,456,789,012.12	1,234,567,890.12	999	1234	7501	1.234.567,12		
15	1234567	12345	S P	1,234,567,890.123-	123,456.1234	123,456,789,012.12-	1,234,567,890.12-	999	1234	7501	1.234.567,12-		
16	1234567	12345	S P	1,234,567,890.123-	123,456.1234	123,456,789,012.12-	1,234,567,890.12-	999	1234	7501	1.234.567,12-		
17	1234567	12345	S P	1,234,567,890.123-	123,456.1234	123,456,789,012.12-	1,234,567,890.12-	999	1234	7501	1.234.567,12-		

## 4. Appendix

### 4.1 Valid values

#### 4.1.1 Type of Custody

The field "Type of Custody" (used in field 35B) can be filled with the following values:

Value	Description
01	Scrip account until individual physical certificates available
02	Scrip account until global certificate deposited
03	Collective custody, book entry, global certificate(s)
05	Collective custody, interim global certificate until securities deliverable
06	Collective custody, debt book entry (including individually inscribed debt)
07	Collective custody, debt book entry (excluding individually inscribed debt)
08	Collective custody, co-ownership of bearer global certificate held by Clearstream Banking Frankfurt (physical share delivery not possible)
09	Collective custody
10	New collective custody account (NGS)
11	Collective custody, deliverable in form of CF-Stukken only
12	Collective custody, technical global certificate (individual certificates not eligible for collective custody possibly outstanding)
13	Collective custody, central custodian or direct safe custody
14	Collective custody, master certificate (UP TO) for the entire term
15	Collective custody, interim master certificate (UP TO) until securities deliverable
16	Collective custody, technical global certificate (UP TO)
19	Collective custody, co-ownership in collective holding of share certificates
20	Jacket custody
21	Jacket custody, when issued
22	In-house collective custody, global certificate(s) only
23	Debt book entry, no collective custody
24	Custody account entry only (no physical securities or global certificates)



Value	Description
40	Trust custody (securities physically deliverable)
41	Securities in Clearstream Banking Frankfurt foreign settlement (securities physically deliverable)
42	Clearstream Banking Frankfurt foreign settlement, global certificates exchanged by Clearstream International (securities physically deliverable)
43	Clearstream Banking Frankfurt foreign settlement, Clearstream International in interim global certificates
44	Securities in Clearstream Banking Frankfurt foreign settlement (securities not physically deliverable)
45	Clearstream Banking Frankfurt foreign settlement, Clearstream International in permanent global certificates (securities not physically deliverable)
46	Clearstream Banking Frankfurt foreign settlement, in interim global certificates
47	Clearstream Banking Frankfurt foreign settlement, in permanent global certificates
50	New Look Global Note (NGN)
51	Technical collective custody (domestic) only
52	Third register entry with variable nominal amount
88	Other (indices, etc.)
91	Reserved for internal bank use, not used by WM
92	Reserved for internal bank use, not used by WM
93	Reserved for internal bank use, not used by WM
94	Reserved for internal bank use, not used by WM
95	Reserved for internal bank use, not used by WM
96	Reserved for internal bank use, not used by WM
97	Reserved for internal bank use, not used by WM
98	Reserved for internal bank use, not used by WM
99	Reserved for internal bank use, not used by WM

Please note that list of valid values is subject to change.

#### **4.1.2 Coupon Date**

The field "Coupon Date" (used in field 35B) is a concatenated field containing the information about the regular coupon date in a generic format. I.e. no concrete date like 15.06.2012 is given. Instead this field is filled with an alphanumeric code. E.g.

01.01.G -> Yearly payment on January 1<sup>st</sup>.

01.01.1M -> Monthly payment on the first date of month.

31M01O-> Payments on March 31<sup>st</sup> and October 31<sup>st</sup>.

As the list of valid values is subject to change please have a look at the information provided by "Wertpapiermitteilung" about the current values.

## 5. Change log

The change log serves as a record of the latest major changes.

No	Date	Chapter, Page	Change
1.0	19.09.2017	-	Initial Version
1.1	22.09.2017	2.2.4	Correction of the example layout