

## **Eurex Clearing C7**

### **Eurex Clearing FIXML Interface**

Interface Specification

Volume 3: Transaction & Position Confirmation

Document version C7 Release 9.0

- Simulation valid from 12 September 2022
- Production valid from 21 November 2022

## Change History

Date	Ver.	Change
28 February 2014	1.0.0	– Initial version for C7 Release 1.0
10 June 2014	1.1.0	<ul style="list-style-type: none"> <li>– Promote simulation version to production version</li> <li>– Additional agent accounts have been renamed “flexible accounts (additional agent accounts)”</li> <li>– Correction: <i>SideTradeID</i> (1506) in the Trade Confirmation <i>TradeCaptureReport</i> can be present pursuant adjustments (was: is never present).</li> </ul>
26 September 2014	1.2.0	<ul style="list-style-type: none"> <li>– New: Collateral reporting messages (new chapter 4)</li> </ul> <p>Editorial changes:</p> <ul style="list-style-type: none"> <li>– Wholesale/OTC facilities have been re-branded Eurex Trade Entry Services</li> <li>– Harmonization with Clearing Conditions: Multilateral trades are only available for Block Trades</li> </ul>
29 October 2014	2.0	<ul style="list-style-type: none"> <li>– Promoted C7 Release 1.0 version to 2.0</li> <li>– Enhancements for off-book trades: <ul style="list-style-type: none"> <li>– Technical 30 minute time limit for approval has been removed.</li> <li>– Entry of counterparty trader subgroup is now optional for bilateral trades.</li> </ul> </li> </ul>
19 December 2014	3.0	<ul style="list-style-type: none"> <li>– Initial version for C7 Release 3.0</li> <li>– Former Volume 3 has been split into new Volumes 3 (this document), 7 Collateral Messages, and 8 Off-Book Trade Capture.</li> </ul>
11 June 2015	3.1	<ul style="list-style-type: none"> <li>– Promoted preliminary version to simulation version.</li> <li>– Typo corrections.</li> <li>– Preliminary variance futures trades not available for transaction adjustments.</li> </ul>
24 September 2015	3.2	<ul style="list-style-type: none"> <li>– <i>StrikePrice</i> only displays relevant decimals (was: has always 6 decimals)</li> <li>– Transaction Confirmation: Removed <i>TradeAllocIndicator=2</i></li> <li>– Transaction Confirmation: Added <i>RootPartyRoles 7</i> and 36 for on-behalf and simplified outsourcing actions</li> <li>– 3.3.1: <i>TradeMatchID</i> contains parent approval ID for flexible contracts</li> <li>– 3.3.3: Added clarification on automatic give-up (“G2” trades) handling</li> <li>– Position Update Confirmation: <i>PartyRoles 7</i> and/or 36 are also filled for on-behalf actions by Eurex and simplified outsourcing activities, as applicable.</li> </ul>
18 November 2015	3.3	<ul style="list-style-type: none"> <li>– Set all <i>TrdRegTimestamp</i> fields to optionally present; fields are not applicable after Average Price Merge.</li> <li>– 3.3.1: Typo correction: <i>TradeLinkID</i> has tag 820, not 880.</li> </ul>
18 March 2016	3.4	– Promoted simulation to production version, no change of content.
28 July 2016	3.5	<ul style="list-style-type: none"> <li>– Simulation version for Release 3.1</li> <li>– Removed <i>SettlDetails</i> group from transaction confirmation <i>TradeCaptureReport</i> layout</li> <li>– Removed references to Eurex Classic regarding Eurex TES</li> <li>– 3.3.14: Preliminary priced trades are now adjustable</li> </ul>

Date	Ver.	Change
		– Appendix: Removed user-defined fields and values not in use anymore, added new user-defined values as required.
17 October 2016	3.6	– Production version for Release 3.1 – 4.2.1: Added missing value 129=Automatic Close-out
6 April 2017	3.7	– New field values <i>TradeType</i> 1004 and <i>TransferReason</i> 018 for transaction based settlement
8 May 2017	4.0	– Initial version for C7 Release 4.0
04 December 2017	4.1	– Promoted Simulation to Production Version, no change of content
15 January 2018	4.2	– Change of Production Version into Simulation Version Release 4.0 and content changes: - New Trade Type 63 in chapter 3.3.6 - New TransferReason 131 for technical trade (technical transaction) in chapter 3.3.10 - Additional new comment in chapter 3.2 that TrdRegTimestampType = 1 (Execution Time) will not be provided for technical trades - FIX website address has changed (chapter 1.6)
7 May 2018	4.3	– The changes in the position update confirmation regarding the introduction of Abandon functionality via FIXML.
30.July 2018	4.4	- Cancel support for special characters for text fields due to security concerns - Introduction of new transaction type 133 for corporate action adjustments via price corrections.
10 September 2018	4.5	- Introduce new fields in the broadcast structure for Basket Total Return Futures. - Include new transaction type 132 for Decomposition - Add new trade type for Enlight Triggered Trade
28 January 2019	4.6	- Add valid value for SID, TID, EnteringFirm and LastMkt for ECC - Add OrderID for TES trades
26 August 2019	4.7	- remove TrdType “1003” - add TradePublishIndicator for Off-book trades - add product type Inter Product Spreads (ch. 3.3.14)
04 February 2020	4.8	- add TrdType “1007” for “Block QTPIP Trade” - add description on PackageID and FirmTrdID for Equity Bespoke Basket Trades
Date	Release	Change
26 May 2020	7.0	- adapt comment for preliminary prices - add chapter 3.3.6 for CustOrderHandlingInst
03 December 2020	7.0.1	- add TrdType “1008” for Compression Trades
25 January 2021	7.1	- add MaturityDate for regular contracts (2.2; 3.2)

Date	Release	Change
28 June 2021	8.0	No update for release C7 8.0
27 August 2021	8.1	<ul style="list-style-type: none"> <li>- Changes to instrument component as per the new contract identification concept introduced by 'Next Generation ETD Contracts'</li> <li>- Details about Standard to Standard Contract Conversion</li> </ul>
15 November 2021	8.1	<ul style="list-style-type: none"> <li>- correction of FIXML Name of Flexible Indicator (FIX Tag 1244) to "FlexInd"</li> <li>- correction of FIXML Names within SecAltIdGrp: SecurityAltID (FIX Tag 455) to AltID and SecurityAltDSource (FIX Tag 456) to AltIDSrc</li> <li>- correction of FIXML Name of SecAltIdGrp itself to AID.</li> </ul> <p>All updates in chapters: 2.2/ 3.2.</p>
<a href="#">30 May 2022</a>	<a href="#">9.0</a>	<p><a href="#">Enhancement regarding Value Based Average Pricing (VBAP):</a></p> <ul style="list-style-type: none"> <li>- <a href="#">Enhance TCR message structure by additional fields</a></li> <li>- <a href="#">add new trade types (828), trade sub types (829), transfer reasons (830)</a></li> <li>- <a href="#">add user-defined values for average price indicator</a></li> <li>- <a href="#">adjust description of PosType (703) = ALC in chapter 3.3.8</a></li> </ul>

© Eurex 2022

Deutsche Börse AG (“DBAG”), Clearstream Banking AG (“Clearstream”), Eurex Frankfurt AG (“Eurex”), Eurex Clearing AG (“Eurex Clearing”), Eurex Securities Transactions Services GmbH (“Eurex STS”) and Eurex Repo GmbH (“Eurex Repo”) are corporate entities and are registered under German law. Eurex Global Derivatives AG is a corporate entity and is registered under Swiss law. Clearstream Banking S.A. is a corporate entity and is registered under Luxembourg law. Eurex Frankfurt AG is the administrating and operating institution of Eurex Deutschland. Eurex Deutschland is in the following also referred to as the “Eurex Exchange”.

All intellectual property, proprietary and other rights and interests in this publication and the subject matter hereof (other than certain trademarks and service marks listed below) are owned by DBAG or its affiliates and subsidiaries or used under authorization by their respective owners, including, without limitation, all patent, registered design, copyright, trademark and service mark rights. While reasonable care has been taken in the preparation of this publication to provide details that are accurate and not misleading at the time of publication DBAG, Clearstream, Eurex, Eurex Clearing, Eurex Repo as well as the Eurex Exchange and their respective subsidiaries, servants and agents (a) do not make any representations or warranties regarding the information contained herein, whether express or implied, including without limitation any implied warranty of merchantability or fitness for a particular purpose or any warranty with respect to the accuracy, correctness, quality, completeness or timeliness of such information, and (b) shall not be responsible or liable for any third party’s use of any information contained herein under any circumstances, including, without limitation, in connection with actual trading or otherwise or for any errors or omissions contained in this publication.

This publication is published for information purposes only and shall not constitute investment advice respectively does not constitute an offer, solicitation or recommendation to acquire or dispose of any investment or to engage in any other transaction. This publication is not intended for solicitation purposes but only for use as general information. All descriptions, examples and calculations contained in this publication are for illustrative purposes only.

Eurex and Eurex Clearing offer services directly to members of the Eurex Exchange respectively to clearing members of Eurex Clearing. Those who desire to trade any products available on the Eurex market or who desire to offer and sell any such products to others or who desire to possess a clearing license of Eurex Clearing in order to participate in the clearing process provided by Eurex Clearing, should consider legal and regulatory requirements of those jurisdictions relevant to them, as well as the risks associated with such products, before doing so.

Only Eurex derivatives that are CFTC-approved may be traded via direct access in the United States or by United States persons. A complete, up-to-date list of Eurex derivatives that are CFTC-approved is available at: <https://www.eurex.com/ex-en/rules-regs/eurex-derivatives-us/direct-market-access-from-the-us>.

In addition, Eurex representatives and participants may familiarize U.S. Qualified Institutional Buyers (QIBs) and broker-dealers with certain eligible Eurex equity options and equity index options pursuant to the terms of the SEC’s July 1, 2013 Class No-Action Relief. A complete, up-to-date list of Eurex options that are eligible under the SEC Class No-Action Relief is available at: <https://www.eurex.com/ex-en/rules-regs/eurex-derivatives-us/eurex-options-in-the-us-for-eligible-customers>. Lastly, U.S. QIBs and broker-dealers trading on behalf of QIBs may trade certain single-security futures and narrow-based security index futures subject to terms and conditions of the SEC’s Exchange Act Release No. 60,194 (June 30, 2009), 74 Fed. Reg. 32,200 (July 7, 2009) and the CFTC’s Division of Clearing and Intermediary Oversight Advisory Concerning the Offer and Sale of Foreign Security Futures Products to Customers Located in the United States (June 8, 2010).

## Trademarks and Service Marks

Buxl®, DAX®, DivDAX®, eb.rexx®, Eurex®, Eurex Repo®, Strategy Wizard, Euro GC®, FDAX®, FTSE 100, FWB®, GC Pooling®, GCPI®, MDAX®, ODAX®, SDAX®, TecDAX®, USD GC Pooling®, VDAX®, VDAX-NEW® and Xetra® are registered trademarks of DBAG or its affiliates and subsidiaries. All MSCI indexes are service marks and the exclusive property of MSCI Barra. ATX®, ATX® five, CECE® and RDX® are registered trademarks of Vienna Stock Exchange AG. IPD® UK Quarterly Indexes are registered trademarks of Investment Property Databank Ltd. IPD and have been licensed for the use by Eurex for derivatives. SLI®, SMI® and SMIM® are registered trademarks of SIX Swiss Exchange AG. The STOXX® indexes, the data included therein and the trademarks used in the index names are the intellectual property of STOXX Limited and/or its licensors. Eurex derivatives based on the STOXX® indexes are in no way sponsored, endorsed, sold or promoted by STOXX and its licensors and neither STOXX nor its licensors shall have any liability with respect thereto. PCS® and Property Claim Services® are registered trademarks of ISO Services, Inc. Korea Exchange, KRX, KOSPI and KOSPI 200 are registered trademarks of Korea Exchange Inc. The names of other companies and third-party products may be trademarks or service marks of their respective owners.

FTSE® is a trade mark of the London Stock Exchange Group companies and is used by FTSE International Limited (“FTSE”) under license. All rights in the FTSE®100 Index (the “Index”) vest in FTSE or its licensors. Neither FTSE nor any of their affiliates or licensors (a) assumes any liability, losses, damages, expenses or obligations in connection with any derivative product based on the Index; or (b) accepts any liability for any errors or omissions, fitness for a particular purpose or the results to be obtained from the use of the Index or related data. No party may rely on the Index or related data contained in this communication which Index and data is owned by FTSE or their affiliates. No use or distribution of the Index is permitted without FTSE’s express written consent. FTSE does not promote, sponsor or endorse the content of this communication nor any financial or derivative product that it relates to.

PRIIPs: Eurex Deutschland qualifies as manufacturer of packaged retail and insurance-based investment products (PRIIPs) under Regulation (EU) No 1286/2014 on key information documents for packaged retail and insurance-based investment products (PRIIPs Regulation), and provides key information documents (KIDs) covering PRIIPs traded on Eurex Deutschland on its website under the following link: <https://www.eurex.com/ex-en/rules-regs/priips-kids>.

In addition, according to Art. 14(1) PRIIPs Regulation the person advising on, or selling, a PRIIP shall provide the KID to retail investors free of charge.

## Table of Contents

<b>1</b>	<b>Introduction</b> .....	<b>7</b>
1.1	Intended audience .....	7
1.2	Eurex Clearing FIXML Interface documentation .....	7
1.3	Eurex Clearing Messaging Interfaces – Connectivity documentation .....	7
1.4	Valid values for FIXML fields.....	8
1.5	FIX version .....	8
<b>2</b>	<b>Common elements</b> .....	<b>9</b>
2.1	Standard header .....	9
2.2	Instrument component.....	9
2.3	Common field usage .....	10
2.3.1	RptID/RptRefID: Transaction ID .....	10
2.3.2	Timestamps .....	10
<b>3</b>	<b>Transaction confirmation</b> .....	<b>12</b>
3.1	Transaction confirmation message flow.....	12
3.2	Transaction confirmation broadcast message structure .....	12
3.3	Field usage.....	19
3.3.1	Transaction and trade IDs .....	19
3.3.2	Position accounts.....	20
3.3.3	TradeAllocIndicator.....	20
3.3.4	TradeReportTransType & TradeReportType .....	21
3.3.5	Text fields .....	21
3.3.6	CustOrderHandlingInst .....	21
3.3.7	TrdType .....	22
3.3.8	TrdCapRptSideGrp & TradePostionQty .....	23
3.3.9	OrderID, ClOrdID.....	23
3.3.10	OrdType and OrderCategory.....	23
3.3.11	TransferReason .....	23
3.3.12	PackageID .....	24
3.3.13	FirmTradeID.....	24
3.3.14	RelatedPositionGrp .....	24
3.3.15	RelatedInstrumentGrp .....	25
3.3.16	Reversals/busts .....	25
3.3.17	Handling of trades with preliminary & final price .....	25
3.3.18	Transaction based settlement .....	26
3.3.19	ContractDate.....	26
3.3.20	Average Price Indicator .....	27
<b>4</b>	<b>Position update confirmation</b> .....	<b>28</b>
4.1	Position update confirmation message structure.....	28
4.2	Field usage.....	31
4.2.1	Transfer Reason .....	31
4.2.2	PositionID .....	32
4.2.3	Position conversion for standard contracts .....	32
4.2.4	Position conversion for flexible contracts .....	32
4.2.5	Message structure matrix .....	32
<b>5</b>	<b>Appendix – dictionary of user-defined fields and values</b> .....	<b>34</b>
5.1	User-defined fields .....	34
5.2	User-defined values .....	34
5.3	User-defined use of fields/components .....	36
5.4	Omitted fields.....	36

## 1 Introduction

The Eurex Clearing FIXML Interface provides Eurex and ECC Members with a highly flexible, standards-compliant and cost-effective way to enter, access and modify their clearing data. Based upon and compliant to the widely used FIX (Financial Information eXchange) standard, the interface allows Members to choose and deploy their own operating systems and access interfaces. The transport layer is AMQP (Advanced Message Queuing Protocol)/WebSphere MQ, the syntax is FIXML.

Note: The market launch of the new features may not necessarily be the same as the release date. The individual dates will be announced in separate Eurex Clearing circulars.

### 1.1 Intended audience

This document is intended for system designers and programmers who wish to develop/adapt their client application to interact with the services offered by the Eurex Clearing FIXML Interface. It assumes that readers have a basic understanding of FIXML.

### 1.2 Eurex Clearing FIXML Interface documentation

The Eurex Clearing FIXML Interface documentation is organized as follows:

- Volume 1: Overview
- **Volume 3: Transaction & Position Confirmation** (this document)
- Volume 4: Transaction & Position Maintenance
- Volume 5: Public Broadcasts
- Volume 6: Message Samples

All documents are available for download on Eurex Clearing website [www.eurex.com/ec-en/](http://www.eurex.com/ec-en/) under the following path:

Support > Initiatives & Releases > C7 Releases > related release > System documentation > Interfaces

The Eurex Clearing FIXML Interface documentation is of rather technical nature; for a more detailed functional description of the clearing functionality offered, please refer to the C7 Functional Reference document.

### 1.3 Eurex Clearing Messaging Interfaces – Connectivity documentation

The Eurex Clearing FIXML Interface, Eurex Clearing FpML Interfaces and Margin Calculator share common connectivity documents for AMQP and WebSphere MQ:

- A: Overview
- B: AMQP Programming Guide
- E: AMQP Setup and Internals

All “Eurex Clearing Messaging Interfaces – Connectivity” documents are available for download on Eurex Clearing website [www.eurex.com/ec-en/](http://www.eurex.com/ec-en/) under the following path:

Support > Technology > C7 > Messaging Interfaces Connectivity

## Conventions used in this document

**Cross references** to other chapters within this document are always clickable, but not marked separately.

**Hyperlinks to websites** are underlined.

Changes applied to this document after the last version has been published (other than grammar/spelling corrections) are marked with a change bar in the left margin [as demonstrated in this paragraph](#). Old change bars will be removed from version to version.

## 1.4 Valid values for FIXML fields

The message structures printed below contain valid values for the FIXML fields described. Please note that the respective column is only filled if the list of valid values is limited. Whenever the column is empty for a given field, all values specified by the FIXML standard may be used.

## 1.5 FIX version

The Eurex Clearing FIXML Interface follows **FIX Version 5.0 SP2** with Extension Packs. In a few instances, additional valid values have been specified. To learn more about the standard, visit the FIX Protocol's website at:

<https://www.fixtrading.org/standards/fix-5-0-sp-2/>

The latest FIX version with extensions is available at <https://fixtrading.org/packages/latest-fiximate>.



## 2 Common elements

A few elements are included in all messages and are always structured in the same way. In order to enhance readability of this document, these groups are not printed in every message layout, but are referenced only.

Where a group differs from the standard layout, it is printed in its entirety.

### 2.1 Standard header

The header element is required on all private FIXML messages; it contains the following attributes:

FIXML Name	Field Name	FIX Tag	Req'd	Remark/Example
Hdr	StandardHeader	–		
SID	SenderCompID	49	Y	'ECAG' or 'ECC' for outbound messages (Eurex/ECC→Member)
TID	TargetCompID	56	Y	'ECAG' or 'ECC' for inbound messages, Member ID (e.g. ABCFR or ABCEX) for outbound
Snt	SendingTime	52	Y	UTC timestamp (with or without milliseconds), e.g. 2010-12-27T11:17:54.080+00:00
SSub	SenderSubID	50	(Y)	e.g. BOM001, TRD001 Required for all inbound messages (Member → Eurex/ECC)

### 2.2 Instrument component

The standard instrument component has the following structure:

FIXML Name	Field Name	FIX Tag	Description	Valid Values/Sample	Present for			
					Std Fut	Std Opt	Flex Fut	Flex Opt
Instrmt	Instrument	–						
AID	SecAltIDGrp	–	Repeating Group					
AltID	SecurityAltID	455	Unique technical contract ID, as submitted by T7		Y	Y	Y	Y
AltIDSrc	SecurityAltIDSource	456	Source of the technical contract ID	Always set to "M"	Y	Y	Y	Y
Sym	Symbol	55	Product ID	FGBL	Y	Y	Y	Y
ProdCmplx	ProductComplex	1227	Flex contract ID	OD8X	N	N	Y	Y
FlexInd	FlexibleIndicator	1244	Set to Y if the contract is flexible contract. Set to N if the contract is standard contract.	Y/N	Y	Y	Y	Y
ContractDate	ContractDate	30866	Date used to identify the contract (YYYY-MM-DD)	2015-04-03	Y	Y	Y	Y
MatDt	MaturityDate	541	Maturity date for standard and flexible contracts, YYYY-MM-DD	2015-04-03	Y	Y	Y	Y

MMY*	MaturityMonthYear	200	Maturity for standard contracts, YYYYMM	201512	Y	Y	N	N
StrkPx	StrikePrice	202	Contains the strike price	40.52	N	Y	N	Y
OptAt	OptAttribute	206	Version of an option series	0	N	Y	N	Y
PutCall	PutOrCall	201	Indicates if option is a Put or Call	0=Put, 1=Call	N	Y	N	Y
SettlMeth**	SettlMethod	1193	Indicates settlement method for standard and flexible contracts	C=Cash Settlement P=Physical Settlement	Y	Y	Y	Y
ExerStyle**	ExerciseStyle	1194	Indicates exercise style for standard and flexible contracts	0=European 1=American	N	Y	N	Y
ContractFrequency	ContractFrequency	30867	Indicates frequency of contract creation.	D=Day EOM=EndOfMonth Flex=Flex Mo=Month Wk=Week	Y	Y	Y	Y

\* Maturity Month Year (200) will never be used for sub-monthly contracts

\*\* Settlement Method (1193) and Exercise Style (1194) remain the same for standard contracts within one product.

Empty fields are never sent, i.e. an instrument group for futures will never contain *StrikePrice*, *OptAttribute* and *PutOrCall*. Likewise the instrument group for standard contracts will never contain *ProdCmplx*.

Starting with release 8.1 multiple contract attributes support more than one expiration per month on product level.

The reporting of standard and flexible contracts will be aligned, i.e. *FlexibleIndicator*, *ContractDate*, *MatDat*, *SettlMeth* and *ExerStyle* (for options only) will be provided in outgoing messages such as Transaction Confirmation message and Position Update Confirmation.

## 2.3 Common field usage

### 2.3.1 RptID/RptRefID: Transaction ID

The unique transaction ID is contained in *TradeReportID* (tag 571) in the transaction confirmation broadcast and will be referenced via *TradeReportRefID* (572) in all transaction adjustments. The ID is variable length alphanumeric string with up to 29 characters, where the initial (up to) 19 characters represent the transaction ID and the last 10 digits represent the suffix, which increases with each adjustment. Note that the suffix is always numeric. The ID is globally unique across the clearing system, will not be changed for the lifetime of the transaction and will not be re-issued<sup>1</sup>.

### 2.3.2 Timestamps

The Eurex Clearing FIXML Interface uses the following timestamp fields:

- *SendingTime* (52)
- *LastUpdateTime* (779)

<sup>1</sup>In the foreseeable future, i.e. until all possible combinations for the 19 char alphanumeric string have been used.

- *TrdRegTimestamp* (769)
- *SideTrdRegTimestamp* (1012)

All timestamps are expressed now in UTC time and still carry a **Time Zone Designator**, i.e. the offset towards UTC in hours and minutes.


The format of the timestamps is YYYY-MM-DDTHH:MM:SS.sssTZD, e.g. 2016-12-27T10:46:09.080+00:00.

### 3 Transaction confirmation

The Eurex Clearing FIXML Interface sends a *TradeCaptureReport* message via the transaction confirmation broadcast stream to all affected parties once a transaction has been booked and whenever a transaction is changed. Please refer to Volume 4 for a detailed description of transaction adjustments and the corresponding message layouts. Transaction confirmation messages are sent in the following events:

- Transaction Reporting (trade has matched on the trading layer and gets reported in the Clearing System or an Off-book/Flexible Trade has been approved and gets reported)
- Trade Reversal
- Transaction Adjustments (see Volume 4)
  - Transaction Separation
  - Open/Close Adjustment
  - Account Transfer
  - Transaction Adjustment
  - Average Pricing/De-merge
  - [Give-Up/Take-Up process completed](#)
  - [Grouping/Un-grouping for Value Based Average Pricing](#)
  - [Creation of Value Based Average Price Transaction & Cancellation of Value Based Average Price Transaction as well as Cancellation of the complete Group](#)

#### 3.1 Transaction confirmation message flow



**Note:** Due to asynchronous processing, broadcast messages may not appear in chronological order on the member queues.

#### 3.2 Transaction confirmation broadcast message structure

The transaction confirmation message contains the fields listed below. Please note that the message structure depends on the product (option/futures) reported therein.

Always present, Optionally present ↓ ↓ Present for Futures, Options or Both

FIXML Name	Field/Component Name	Valid Values	FIX Tag	Presence	Fut/Opt	Remarks
TrdCaptRpt		–	–			
RptID	TradeReportID		571	A	B	Transaction ID. See 3.3.1
TransTyp	TradeReportTransType	0=New 4=Reverse	487	A	B	See 3.3.4
RptTyp	TradeReportType	0=Submit 1=Alleged 6=Trade Report Cancel	856	A	B	Adjustment indicator, 0=not adjusted, 6=adjusted. 1=preliminary trade See 3.3.4
TrdPubInd	TradePublishIndicator	2=Deferred Publication 3= Published	1390	O	B	Only present for Off-book trades.
TrdTyp	TrdType	<see 3.3.7>	828	A	B	
TrdHandInst	TradeHandlingInstr	0=Trade Confirmation	1123	A	B	
OrigTrdHandInst	OrigTradeHandlingInstr	3=One-Party Report for Pass Through 7=Third Party Report for Pass Through	1124	O	B	Only sent for Off-book Trades.
TrnsfrRsn	TransferReason		830	A	B	See 3.3.11
<u>PackageID</u>	<u>PackageID</u>		2489	O	B	Only present for transactions being part of a basket (e.g. Basket Trades of Equity Total Return Futures or Equity Bespoke Basket Trades) See 3.3.12
FirmTrdID	FirmTradeID		1041	O	B	Only present for transactions being part of a basket (e.g. Basket Trades of Equity Total Return Futures or Equity Bespoke Basket Trades) See 3.3.13
TotNumTrdRpts	TotNumTradeReports		748	O	B	Contains the total amount of transaction confirmation messages for multi-leg trades (both Off-book and regular). For single-leg trades, this field will never be present.
RptRefID	TradeReportRefID		572	O	B	Parent Suffix ID, only present pursuant adjustments. See 3.3.1
MtchID	TrdMatchID		880	O	B	See 3.3.1
LastQty	LastQty		32	A	B	
LastPx	LastPx		31	A	B	
Ccy	Currency		15	A	B	

Always present, Optionally present ↓ ↓ Present for Futures, Options or Both

FIXML Name	Field/Component Name	Valid Values	FIX Tag	Presence	Fut/Opt	Remarks	
LastMkt	LastMkt	XEUR=Eurex, XEEE=ECC or ECC partner exchange	30	A	B		
TrdDt	TradeDate		75	A	B	Trade date; used as basis for transaction duration calculation	
BizDt	ClearingBusinessDate		715	A	B		
MLegRptTyp	MultiLegReportingType	1, 2	442	A	B		
LastUpdateTm	LastUpdateTime		779	A	B		
Hdr	Standard Header, see 2.1			A			
Clg.Mbr.	Pty	RootParties	–	–			
	ID	RootPartyID		1117	A	B	Clearing Member ID
	R	RootPartyRole	4=Clearing Firm	1119	A	B	
Exc.Mbr	Pty	RootParties	–	–			
	ID	RootPartyID		1117	A	B	Exchange Member ID
	R	RootPartyRole	1=Executing Firm	1119	A	B	
Account	Pty	RootParties	–	–			
	ID	RootPartyID		1117	A	B	Account Number, see 3.3.2
	R	RootPartyRole	38=Position Account	1119	A	B	
Orig.Trader	Pty	RootParties	–	–			
	ID	RootPartyID		1117	O	B	Contains the full original trader ID, e.g. ABCFRTRD001. Does not change pursuant adjustments. Not present pursuant give-up/take-up and average price merge.
	R	RootPartyRole	11=Order Origination Trader	1119	O	B	
User	Pty	RootParties	–	–			
	ID	RootPartyID		1117	O	B	Subgroup+User No., e.g. CLR123
	R	RootPartyRole	12=Executing Trader	1119	O	B	
Entering Firm	Pty	RootParties	–	–			
	ID	RootPartyID		1117	O	B	Contains entering firm for simplified outsourcing. Contains Eurex ID ("ECAG") or ECC ID ("ECC") in case of on-behalf actions by Eurex or ECC.
	R	RootPartyRole	7=Entering Firm	1119	O	B	
Ent	Pty	RootParties	–	–			

Always present, Optionally present ↓ ↓ Present for Futures, Options or Both

FIXML Name	Field/Component Name	Valid Values	FIX Tag	Presence	Fut/Opt	Remarks	
KRX Mbr	ID	RootPartyID		1117	O	B	Contains entering user for simplified outsourcing via GUI
	R	RootPartyRole	36=Entering Trader	1119	O	B	
KRX Mbr	Pty	RootParties	–	–			
	ID	RootPartyID		1117	O	B	Member ID for KRX cooperation product trades.
KRX Mbr	R	RootPartyRole	13=Order Origination Firm	1119	O	B	
	Pty	RootParties	–	–			
Beneficiary	ID	RootPartyID		1117	O	B	Beneficiary ID for cooperation product trades, e.g. KRX.
	R	RootPartyRole	32=Beneficiary	1119	O	B	
GU Exc.Mbr.	Pty	RootParties	–	–			Only present for transaction confirmation messages booking a transaction pursuant take-up.
	ID	RootPartyID		1117	O	B	Give-up Exchange Member ID
GU Exc.Mbr.	R	RootPartyRole	95=Give-up (Trading) Firm	1119	O	B	
	Pty	RootParties	–	–			Present for give-up transactions and pursuant successful give-up/take-up workflow
TUExc.Mbr.	ID	RootPartyID		1117	O	B	Take-up Exchange Member ID
	R	RootPartyRole	96=Take-up (Trading) Firm	1119	O	B	
	Instrmt	Instrument	–	–			
	AID	SecAltIDGrp	–	–			
	AltID	SecurityAltID		455	A	B	Unique technical contract ID, also used in T7
	AltIDSrc	SecurityAltIDSource	Always set to "M"	456	A	B	Source of the technical contract ID
	Sym	Symbol		55	A	B	
	ProdCmplx	ProductComplex		1227	O	B	Flexible contract ID, e.g. OD8X. Always present for flexible contracts.
	FlexInd	FlexibleIndicator	Y/N	1244	A	B	Set to Y if the contract is flexible contract. Set to N if the contract is standard contract.
	ContractDate	ContractDate	See 2.2	30866	A	B	Date used to identify the contract (YYYY-MM-DD).

Always present, Optionally present ↓ ↓ Present for Futures, Options or Both

FIXML Name	Field/Component Name	Valid Values	FIX Tag	Presence	Fut/Opt	Remarks
MatDt	MaturityDate		541	A	B	Maturity date, always present for flexible and regular contracts.
MMY	MaturityMonthYear		200	O	B	YYYYMM
StrkPx	StrikePrice		202	O	O	Always present for options contracts
OptAt	OptAttribute		206	O	O	Version of an options series, always present for options.
SettlMeth	SettlMethod	C=Cash settlement P=Physical settlement	1193	A	B	Settlement method for flexible and standard contracts.
ExerStyle	ExerciseStyle	0=European 1=American	1194	O	O	Exercise style applicable to flexible and standard option contracts.
ContractFrequency	ContractFrequency	See 2.2	30867	A	B	Indicates frequency of contract creation.
PutCall	PutOrCall		201	O	O	Always present for options contracts
CpnRt	CouponRate		223	O	F	Only present for EFS Trades
Evnt	EvntGrp	–	–			
EventTyp	EventType	9=Swap End Date	865	O	F	Only present for EFS trades
Dt	EventDate		866	O	F	Only present for EFS trades
Amt	PositionAmountData	–	–			
Typ	PosAmtType	PREM	707	O	O	Only present for options contracts
Amt	PosAmt		708	O	O	Only present for options contracts
Amt	PositionAmountData	–	–			
Typ	PosAmtType	CRES	707	O	B	Contains the residual pursuant average price merge (if applicable)
Amt	PosAmt		708	O	B	
TrdRegTS	TrdRegTimestamps	–	–			
TS	TrdRegTimestamp		769	O	B	Original trade date and time.
Typ	TrdRegTimestampType	1=Execution Time	770	O	B	Not provided for TrdType (828) = 63 (technical trade), for transactions that result from average pricing (classic average pricing and VBAP) as well as for VBAP offset transactions.
TrdRegTS	TrdRegTimestamps	–	–			
TS	TrdRegTimestamp		769	O	B	Time when the transaction arrived on the clearing layer
Typ	TrdRegTimestampType	2=Time In	770	O	B	
TrdRegTS	TrdRegTimestamps	–	–			



Always present, Optionally present ↓ ↓ Present for Futures, Options or Both

FIXML Name	Field/Component Name	Valid Values	FIX Tag	Presence	Fut/Opt	Remarks
TS	TrdRegTimestamp		769	O	B	Time when the transaction was successfully booked on the clearing layer.
Typ	TrdRegTimestampType	7=Submission to Clearing	770	O	B	
RptSide	TrdCapRptSideGrp	–	–			
Side	Side	1=Buy, 2=Sell	54	A	B	
TrdID	SideTradeID		1506	O	B	See 3.3.1
PosEfct	PositionEffect	O=Open, C=Close	77	A	B	Open/Close Indicator
PosEfctActn	PositionEffectAction	1=Opposite position opened	29001	O	B	Indicates a closing error.
<a href="#">GrpID</a>	<a href="#">AllocGroupID</a>		<a href="#">1730</a>	<a href="#">O</a>	<a href="#">B</a>	<a href="#">Group ID of Value Based Average Pricing (VBAP) group defined by the Clearing House.</a>
<a href="#">AvgPxGrpID</a>	<a href="#">SideAvgPxGroupID</a>		<a href="#">1854</a>	<a href="#">O</a>	<a href="#">B</a>	<a href="#">Member defined group name for Value Based Average Pricing (VBAP) group.</a>
<a href="#">PrevGrpID</a>	<a href="#">PreviousAllocGroupID</a>		<a href="#">2771</a>	<a href="#">O</a>	<a href="#">B</a>	<a href="#">Previous Value Based Average Pricing group ID defined by the Clearing House; filled after re-assignment or de-assignment of a transaction from a group.</a>
<a href="#">AvgPxInd</a>	<a href="#">SideAvgPxIndicator</a>		<a href="#">1853</a>	<a href="#">O</a>	<a href="#">B</a>	<a href="#">See 3.3.20</a>
<a href="#">ID2</a>	<a href="#">SecondaryAllocID</a>		<a href="#">793</a>	<a href="#">O</a>	<a href="#">B</a>	<a href="#">Allocation ID that links transactions that result from the same Allocation Instruction out of a Value Based Average Pricing group (e.g. in case of pro-rata allocations).</a>
Txt1	FreeText1	See 3.3.5	25007	O	B	See 3.3.5
Txt2	FreeText2	See 3.3.5	25008	O	B	
Txt3	FreeText3	See 3.3.5	25009	O	B	
GUTxt1	GiveUpFreeText1		25010	O	B	
GUTxt2	GiveUpFreeText2		25011	O	B	
GUTxt3	GiveUpFreeText3		25012	O	B	
AllocInd	TradeAllocIndicator	0, 5	826	A	B	
AggrsInd	AggressorIndicator	Y, N	1057	O	B	Always present for on-exchange trades.
OrdCat	OrderCategory	1=Order, 2=Quote	1115	O	B	
StrategyLinkID	StrategyLinkID		1851	O	B	Present for strategy trades or compression trades only. Can be used to link the individual legs of a multi-leg strategy, both on-exchange and off-book

Always present, Optionally present ↓ ↓ Present for Futures, Options or Both

FIXML Name	Field/Component Name	Valid Values	FIX Tag	Presence	Fut/Opt	Remarks
						or to link the compression trades of the same compression run.
CustOrdHdlInst	CustOrderHandlingInst	See 3.3.6	1031	O	B	Contains the rate identifier
Clrd	ClearedIndicator	4=Cleared with preliminary price	1832	O	F	Indicates that the transaction has a preliminary price
TrdRegTS	SideTrdRegTS	–	–			
TS	SideTrdRegTimestamp		1012	O	B	Priority time stamp, as contained in Eurex T7 ET1 field 21008 <i>TrdRegTSTimePriority</i>
Typ	SideTrdRegTimestampType	8=Time priority	1013	O	B	
Qty	TradePositionQty	–	–	A	B	See 3.3.8
Typ	PosType	ALC=Allocation Trade Qty	703	A	B	
Long	LongQty		704	A	B	
Short	ShortQty		705	A	B	
Qty	TradePositionQty	–	–	A	B	See 3.3.8
Typ	PosType	PA=Adjustment Qty	703	A	B	
Long	LongQty		704	A	B	
Short	ShortQty		705	A	B	
Qty	TradePositionQty	–	–	A	B	See 3.3.8
Typ	PosType	TOT=Total Transaction Qty	703	A	B	
Long	LongQty		704	A	B	
Short	ShortQty		705	A	B	
TrdRptOrdDetl	TradeReportOrderDetail	–	–			
OrdID	OrderID		37	O	B	Contains the T7 order number for on exchange trades and the TesTradeSideID for TES trades
ClOrdID	ClOrdID		11	O	B	ClOrdID from T7 FIX/ET1 interfaces
OrdTyp	OrdType	1=Market, 2=Limit	40	O	B	
OrdStat	OrdStatus	1=Partially filled 2=Filled	39	O	B	
OrdQty	OrderQtyData	–	–			
Qty	OrderQty		38	O	B	Contains the total order quantity
ReltdInstrmt	RelatedInstrumentGrp	–	–			

Always present, Optionally present ↓ ↓ Present for Futures, Options or Both

FIXML Name	Field/Component Name	Valid Values	FIX Tag	Presence	Fut/Opt	Remarks
InstrmtTyp	RelatedInstrumentType	103=Instrument of multileg order	1648	O	B	
Sym	RelatedSymbol		1649	O	B	
ProdCmplx	RelatedProductComplex	2=Standard Option Strategy 3=Non-Standard Option Strategy 4=Volatility Strategy 5=Futures Spread 6=Inter Product Spread 7=Standard Futures Strategy 8=Packs and Bundles 9=Strip	28587	O	B	Contains the T7 strategy type
SecTyp	RelatedSecurityType	MLEG	1652	O	B	
SubTyp	RelatedSecuritySubType		29010	O	B	See 3.3.15
<a href="#">GrossTrdAmt</a>	<a href="#">GrossTradeAmt</a>		<a href="#">381</a>	O	B	<a href="#">Notional value (price * quantity) of the transaction; only filled for transactions related to Value Based Average Pricing.</a>
ReltdTrd	RelatedTradeGrp	–	–			
ID	RelatedTradeID		1856	O	B	Contains the transaction ID of the average priced transaction. Only sent in inverse booking messages for transactions pursuant average price merge and de-merge.
Src	RelatedTradeIDSource	3=TradeReportID	1857	O	B	
ReltdPos	RelatedPositionGrp	–	–			
ID	RelatedPositionID		1862	A	B	See 3.3.14
Src	RelatedPositionIDSource	3=PositionID	1863	A	B	

### 3.3 Field usage

This section provides additional explanations about how particular fields are used in the transaction confirmation *TradeCaptureReport* messages.

#### 3.3.1 Transaction and trade IDs

The key identifier for any transaction in the C7 system is the transaction ID. Additionally, the transaction confirmation *TradeCaptureReport* messages contain ID fields to allow Members to reconcile against the trading layer:

- *TradeReportID* (571) contains the unique transaction ID. The ID is variable length alphanumeric string with up to 29 characters, where the initial (up to) 19 characters represent the transaction ID and the last 10 digits represent the suffix, which increases with

each adjustment. Note that the suffix is always numeric. The ID is globally unique across the clearing system, will not be changed for the lifetime of the transaction and will not be re-issued<sup>2</sup>.

- Pursuant adjustments, the unique transaction ID is referenced in *TradeReportRefID* (572).
- *TrdMatchID* (880) contains the T7 Trade ID.
- *SideTradeID* (1506) contains the T7 “Trade Item ID”.
- *RelatedTradeID* (1856) is present in the reversal messages for the original transactions pursuant average price merge, it contains the transaction ID of the new, average priced transaction. It is also present in the message reinstating the original transactions after a de-merge, referencing the de-merged transaction.

Note that trade and trade item IDs on T7 are unique per day, product, and for either on-exchange or off-book (TES) trades. Members wishing to reconcile their T7 trade confirmation with their C7 transaction confirmation messages may therefore need to take *TrdType* (828)<sup>3</sup> into consideration.

### 3.3.2 Position accounts

Valid accounts (=valid values for the field *RootPartyID* (*RootPartyRole*=38) in the group) are A1-A9, M1, M2, P1, P2, and (additional) agent account IDs as set by the Member. Extended agent account names can be 20 characters long (uppercase), special characters and spaces are not allowed. The following names are reserved by the system and may not be used: G# (#=0-9), P# (#=0, 3-9), M# (#=0, 3-9), PP, CLIENT, and HOUSE. Account availability is limited by the status of Members (and their clearers).

### 3.3.3 TradeAllocIndicator

*TradeAllocIndicator* (826) is always present.

- “0=Allocation not required” is sent when the transaction is not currently part of an allocation process.
- “5=Allocation to claim account” is sent to the give-up side pursuant successful take-up. The take-up side receives “0” pursuant take-up.

Automatic give-up trades are processed in two steps. First, the system books the trade to account A1 or P1, as applicable. The respective transaction confirmation *TradeCaptureReport* message is formatted and sent. Note that the message will contain the Take-Up (Trading) Firm as entered on the trading layer in the *RootParties* group with *RootPartyRole*=96. In a second step, the system will automatically trigger a give-up process. Note that this request may fail, e.g. if the entitlement validations are not passed successfully. Once the give-up process has been initiated successfully, the system will send *AllocationReport* messages via the workflow broadcast (see Volume 4 for details).

<sup>2</sup>In the foreseeable future, i.e. until all possible combinations for the 19 char alphanumeric string have been used.

<sup>3</sup>Trades in one product on one business day in either *TrdType*=0 or any of the other applicable *TrdTypes* receive unique *TrdMatchID* (880) and *SideTradeIDs* (1506) from T7. This does not affect the globally unique C7 transaction ID, as contained in the *TradeReportID* (571).

### 3.3.4 TradeReportTransType & TradeReportType

The following table displays the combinations of *TradeReportTransType* (487) and *TradeReportType* (856) for the messages sent via the transaction confirmation broadcast:

Event	TradeReportTransType (487)	TradeReportType (856)
Transaction confirmation: new trade reported	0=New	0=Submit
Trade bust (trade reversal by Eurex)	4=Reverse	6=Trade Report Cancel
Reversal of original transaction after successful transaction adjustment	4=Reverse	6=Trade Report Cancel
New transaction after successful transaction adjustment	0=New	0=Submit
New transaction due to successful take-up (to take-up side)	0=New	0=Submit
Reversed transaction due to successful take-up (to give-up side)	4=Reverse	6=Trade Report Cancel
Reporting of a trade with preliminary price (3.3.17)	0=New	1=Alleged

### 3.3.5 Text fields

The – user-defined – text fields *FreeText1*, *FreeText2* and *FreeText3* are mapped as follows to other clearing and trading interfaces:

FIXML Interface Text Field	Text Fields in other Interfaces					
	C7 Derivatives Clearing GUI	T7 Eurex Trader GUI	T7 Enhanced Trading Interface (ETI)	T7 Eurex FIX LF Interface	C7 XML Reports (e.g. CB012)	T7 XML Reports (e.g. TC545)
FreeText1	Text 1	Text1	FreeText1	FreeText1 (25007)	Text1	freeText1
FreeText2	Text 2	Text2	FreeText2	FreeText2 (25008)	Text2	freeText2
FreeText3	Text 3	Text3	FreeText3	FreeText3 (25009)	Text3	freeText3

Text fields can hold 36 characters each. The exclamation mark (!), the pipe symbol (|), double quotes (“), single quotes (’), apostrophe (’), ampersand (&), equal sign (=), at sign (@), plus (+), lower than (<) and larger than (>) are not allowed.

*GiveUpFreeText1-3* are only sent pursuant successful give-up/take-up and contain the values proposed by the give-up Member to the take-up side during the workflow. Note that these values are for information/reference only, *FreeText1-3* contain the actual value(s) for the record.

### 3.3.6 CustOrderHandlingInst

CustOrderHandlingInst contains the Execution Source Code in accordance to the FIA guidelines and aims to clearly identify the execution method used for Exchange Traded Derivative trades at point of origin.

The original field values as provided by T7 cannot be adjusted in C7, i.e. field is reporting only.

T7 allows the following valid values for Eurex agent accounts at the point of execution:

FIXML Value	Description
W	Desk
Y	Electronic
C	Vendor-provided Platform (billed by Execution Broker)

G	Sponsored Access (via Exchange API or FIX provided by Execution Broker)
H	Premium Algorithmic Trading Provider (billed by Execution Broker)
D	Other (including Other- provided screen); Default

### 3.3.7 TrdType

*TrdType* (828) contains the trade type. The following mapping applies between FIXML values and Eurex trade types:

FIXML Value	Eurex Trade Type
0 – Regular Trade	<blank> – Regular on-exchange trade
1 – OTC Block Trade	O – Block Trade
12 – Exchange for Swap (EFS)	W – EFS Trade
51 – Volume Weighted Average Price	A – Average Price
54 – OTC	F – Flexible Contract Trade
55 – Exchange Basis Facility	B – Basis Trade
63 – Technical Trade	D – Technical Transaction
1000 – Vola Trade	V – Vola Trade
1001 – EFP-Fin Trade	P – EFP-Fin Trade
1002 – EFP-Index-Futures Trade	N – EFP-Index-Futures Trade
1004 – Transaction based Settlement	N/A
1006 – Enlight Triggered Trade	L – Enlight Triggered Trade
1007 – Block QTPIP Trade	Q – Block QTPIP Trade
1008 – Compression Trade	K – Compression Trade
<a href="#">1009 – VBAP On-Exchange Trade</a>	<a href="#">G – VBAP On-Exchange Trade</a>
<a href="#">1010 – VBAP TES1 Trade</a>	<a href="#">H – VBAP TES1 Trade</a>
<a href="#">1011 – VBAP TES2 Trade</a>	<a href="#">J – VBAP TES2 Trade</a>

Note: The trade types 1009 - VBAP On-Exchange Trade and 1011 - VBAP TES2 Trade are currently only used in a *AllocationInstruction* request in order to allocate average price transactions out of the group (for detailed information about message structure, please refer to Volume 4). The average price and offset transactions that will be created due to the request will contain the original trade types, i.e. 0 - Regular Trade or 1006 - Enlight Triggered Trade.

1010 - VBAP TES1 must be used in *AllocationInstruction* request if off-book transactions shall be allocated out of the group. In this case, Eurex will create an average price and offset transaction containing the original trade type (e.g. 1, 12, 54, 55, 1000 – 1002 and 1007) in case the group only contains one of this trade types. If more than one off-book trade type is contained in the group, the average price and off-set transaction generated will contain trade type 1010 - VBAP TES1.

### 3.3.8 TrdCapRptSideGrp & TradePositionQty

The buy/sell side of the reported transaction is determined by the *Side* field in the *TrdRptSideGrp*, the total amount is contained in *LastQty* (32). The *TradePositionQty* components specify position changes on the long and short side:

- Long/Short positions designated for give-up<sup>4</sup>, ~~or~~ partial transfer [or grouping](#)<sup>5</sup> are identified by *PosType* (703)=ALC
- Current Long/Short (=delta) quantities are identified by *PosTyp* (703)=PA  
Contains the change to the total position. Both *LongQty* (704) and *ShortQty* (705) are always present, can contain negative values and both fields can be different from zero. For regular transactions, usually one side contains a value greater than zero and the respective other field is filled with '0'. For transactions changing both sides (e.g. closing errors), *LastQty* displays the total amount and both *LongQty* and *ShortQty* are filled.  
Text adjustments, transaction separations, and average price merge/de-merge actions are reported position-neutral, i.e. both *LongQty* (704) and *ShortQty* (705) of *PosType* PA are '0' for reversal and new record.
- Total current Long/Short balances are identified by *PosType* (703)=TOT

### 3.3.9 OrderID, ClOrdID

*OrderID* (37) contains the original order ID assigned by the trading layer. For TES trades it contains the *TesTradeSideID*.

*ClOrdID* (11) optionally contains the Client Order ID received from the trading layer (if the order was entered with a *ClOrdID*).

### 3.3.10 OrdType and OrderCategory

*OrderCategory* (1115) reports if the trade resulted from an order ('1') or a quote ('2'). For *OrdCat=1*, *OrdType* (40) defines further if the order was a market ('1') or limit ('2') order.

### 3.3.11 TransferReason

*TransferReason* (830) contains the Eurex-internal transaction type, which is also displayed on the Derivatives Clearing GUI:

Value	Meaning
000	Trade
002	Transaction Open/Close Adjustment
004	Transaction Account Transfer
005	Transaction Adjustment
006	Transaction Separation
007	Trade Reversal
<a href="#">009</a>	<a href="#">VBAP Group Maintenance</a>

<sup>4</sup>Note that this only applies to currently active give-up processes. When an automatic give-up trade is first reported, the respective give-up process has not started yet and the quantity is technically not yet designated. See 3.3.3 for the booking/processing logic.

<sup>5</sup> [Designated quantities for grouping correspond to the sum of the remaining quantity of all Value Based Average Pricing groups on the respective side of the corresponding position.](#)

Value	Meaning
010	Transaction with Closing Error
011	Average Pricing
012	De-Merge
013	Final Price Adjustment
<a href="#">016</a>	<a href="#">VBAP Creation</a>
<a href="#">017</a>	<a href="#">VBAP Cancellation</a>
018	Transaction based Settlement
020	Give-up
030	Take-up
035	Take-Up with Closing Error
040	Off-Book Trade
042	Off-Book Trade with Closing Error
131	Technical Transaction
132	Decomposition
133	Price Correction Due To Corporate Action

### 3.3.12 PackageID

Each Basket trade has a unique id, which is referred as basket id in functional terms. In the Trade Capture Report, Basket ID is present in the field PackageID. A separate Trade Capture Report is sent for each transaction of a basket trade and each transaction of the basket trade has the same PackageID. It is present at the root level in Trade Capture Report. PackageID is a numeric field with length up to 20.

### 3.3.13 FirmTradeID

Trading participants can enter own internal information related to the Basket trades. This information is present in the field FirmTradeID of the Trade Capture Report. This is a private information of a participant and cannot be seen by the counter party. FirmTradeID is a free text field, which can be up to 20 characters in length. It has the same restriction as the text fields, exclamation mark (!), the pipe symbol (|), double quotes ("), single quotes ('), apostrophe ('), ampersand (&), equal sign (=), at sign (@), plus (+), lower than (<) and larger than (>) are not allowed.

### 3.3.14 RelatedPositionGrp

The *RelatedPositionGrp* is included for regulatory reporting. *RelatedPositionID (1862)* contains a unique, variable-length, alphanumeric position identifier, which is up to 11 characters long. Each transaction in the same instrument and account is booked to the position ID established when the first such transaction is reported. Note that a position amount of "0" (e.g. due to exercise) does not delete the position ID. Once additional transactions in the same instrument are booked to the account (i.e. the amount is greater than 0 again) the same position ID will be referenced.



For further information on the usage of the *RelatedPositionID*, please refer to the EMIR reporting documentation available in the member section under <https://member.eurexclearing.com/> → Clearing Resources → EMIR Reporting

### 3.3.15 RelatedInstrumentGrp

The *RelatedInstrumentGrp* contains information about the strategy type, where applicable. *RelatedProductComplex* (28587) contains the general strategy type, *RelatedSecuritySubType* (29010) contains further detail on the strategy, e.g. the color for packs and bundles (*RelatedProductComplex=8*) and the product type for Inter Product Spreads. Note that the FIXML Clearing Interface hands on values received from the trading venue, i.e. for T7 trades *RelatedSecuritySubType* is filled with the strategy types as defined in the “Products and instruments” list available on the Eurex website under [www.eurex.com/ex-en/](http://www.eurex.com/ex-en/) → Data → Trading files → Product parameter files → Trading parameters

### 3.3.16 Reversals/busts

If a transaction becomes subject to mistrade reversal by Eurex or EEX Market Supervision, C7 will reverse the transaction and all adjustments that have been applied to the same. Note that mistrade reversals can only occur for transactions that originated on the current business day. Should the transaction in question be part of any pending adjustment/workflow, such as give-up/take-up, this workflow will be cancelled by the system.

If one, or multiple, transactions to be reversed are part of an average priced transaction (i.e. they have been merged), the merged transaction is de-merged before the (mistrade) reversal is performed.

The following transaction adjustments will be considered during reversal processing:

- Average pricing
- Transaction adjustment (to adjust text fields, member/beneficiary information for cooperation products, and the rate identifier)
- Account transfer
- O/C adjustment
- Transaction separation
- Give-up/take-up

If transaction adjustment activities A→B→C→D have been performed before a transaction becomes subject to mistrade reversal, first adjustment D will be reversed, then C→B→A. All reversals are reported via *TradeCaptureReport* messages on the transaction confirmation broadcast. The *TradeReportTransType* (487) is 4=Reverse, the *TradeReportType* (856) is 6=Trade Report Cancel, the suffix is increased for each reversal. Consequently, reversed transactions are not adjustable. Note that the final reversal, which reverses the original transaction that became a mistrade, will reference the original parent suffix and *TransferReason* (830) 007, making it distinguishable from a regular inverse booking.

During reversal processing, closing errors might occur when insufficient open position is available.

### 3.3.17 Handling of trades with preliminary & final price

Trades in products with preliminary and final prices are reported in both preliminary and final state on C7. Once the trade price is final, the preliminary trade is automatically inverse booked and the trade is re-booked with the final price. Both preliminary and final priced transactions are available for transaction adjustments, with one exception: preliminary priced trades are not

available for classic average pricing and cannot be assigned to a Value Based Average Pricing group."

	TradeReportID (571)	TradeReportRefID (572)	TradeReportType (856)	TransferReason (830)	LastPx (31)	Account: RootPartyID (1117) with RootPartyRole (1119) = 38	ClearedIndicator (1832)	OrderID (37)
Initial preliminary transaction	12340000000000	–	1=Alleged	000	120	A1	4=Cleared with Preliminary Price	9873216540 321456987
Transaction account transfer	12340000000001	12340000000000	6=Trade Report Cancel	004	120	A1	4=Cleared with Preliminary Price	9873216540 321456987
Transaction account transfer	12340000000002	12340000000000	1=Alleged	004	120	EXY	4=Cleared with Preliminary Price	9873216540 321456987
<b>Final price arrives from the trading layer</b>								
Automatic Inverse booking for preliminary transaction	12340000000003	12340000000002	6=Trade Report Cancel	013	120	EXY	4=Cleared with Preliminary Price	9873216540 321456987
Rebooking with final price	12340000000004	12340000000002	0=Submit	013	135	EXY	–	9873216540 321456987

*OrderID* can be used for reconciliation with the trading layer.

### 3.3.18 Transaction based settlement

C7 supports transaction-based settlement of futures-on-futures. Settlement of the respective contracts is handled on transaction, rather than position basis. Consequently, each individual transaction settles into an individual transaction in the underlying futures contract. The transaction ID issued upon transaction creation survives settlement; the records for booking out the basis futures and booking in the underlying futures receive suffixes under the same base ID. Booking in/out under transaction based settlement is marked with *TransferReason (830)*="018". The *TradeType (828)* of the underlying futures record is set to "1004".

Note that transaction-based settlement leads to the dissemination of transaction confirmation messages, rather than position update messages.

	TradeReportID (571)	TradeReportRefID(572)	TradeReportType (856)	Transfer Reason (830)	TradeType (828)	Symbol (55)
<b>Transaction based settlement</b>						
(in this sample, transaction adjustment actions on the basis futures record have increased the suffix prior to settlement)						
Booking out of basis futures	12340000000005	12340000000004	6=Trade Report Cancel	018	0	FES1
Booking in of underlying futures	12340000000006	12340000000004	0=Submit	018	1004	FESX

### 3.3.19 ContractDate

The contract date is expressed in a YYYY-MM-DD notation and will make the contract within a product unique.

### 3.3.20 Average Price Indicator

The average price indicator defines how a transaction is associated to a Value Based Average Pricing (VBAP) group.

<b>Value</b>	<b>Description</b>
<u>3</u>	<u>VBAP – original transaction</u>
<u>11</u>	<u>VBAP – offset transaction</u>
<u>12</u>	<u>VBAP – system calculated transaction</u>
<u>13</u>	<u>VBAP – tailor-made transaction</u>
<u>14</u>	<u>VBAP – system generated transaction</u>

## 4 Position update confirmation

The Eurex Clearing FIXML Interface sends a *PositionMaintenanceReport* message via the trade confirmation broadcast stream to all affected parties once a position has been updated. Position update confirmation messages are sent for the following events:

- Position Close-out (Manual/Automatic)/Re-open
- Internal Position Transfer
- External Position Transfer (by Clearing House)
- External Position Transfer with/without Cash Amount
- Exercise (Manual/Automatic)
- Exercise Adjustment
- Abandon
- Assignment
- Position Adjustment Due to Capital Adjustment
- Notification
- Notification Adjustment
- Allocation
- Futures Position Creation
- Clearing House Transfer
- Position Conversion

### 4.1 Position update confirmation message structure

The *PositionMaintenanceReport* message used to convey position update information contains the fields listed below:

Always present, Optionally present ↓

FIXML Name	Field/Component Name	Valid Values	FIX Tag	Presence	Remarks
PosMntRpt		–	–	–	
RptID	PosMaintRptID		721	A	Unique ID, 29 alphanumeric chars
TxnTyp	PosTransType	1=Exercise 2=Do Not Exercise 1000=Internal Transfer <sup>1</sup> 1001=Transfer of Firm <sup>1</sup> 1002=External Transfer <sup>1</sup> 1003=Corporate Action <sup>1</sup> 1004=Notification <sup>1</sup> 1005=Position Creation <sup>1</sup> 1006=Close-out <sup>1</sup> 1007=Re-open <sup>1</sup>	709	A	

Always present, Optionally present ↓

FIXML Name	Field/Component Name	Valid Values	FIX Tag	Presence	Remarks
Actn	PosMaintAction	1=New	712	A	
Stat	PosMaintStatus	3=Completed	722	A	
TmsfrRsn	TransferReason		830 <sup>2</sup>	A	See 4.2.1
<u>PackagelD</u>	<u>PackagelD</u>		2489	O	Present for positions of a basket (e.g. Basket Equity Total Return Futures or Equity Bespoke Basket Trades)
BizDt	ClearingBusinessDate		715	A	
Ccy	Currency		15	A	
TxnTm	TransactTime		60	A	
Txt1	FreeText1	See 3.3.5	25007	O	
Txt2	FreeText2	See 3.3.5	25008	O	
Txt3	FreeText3	See 3.3.5	25009	O	
ExrMethod	ExerciseMethod	M=Manual A=Automatic	747 <sup>2</sup>	O	See 4.2.5
TmsfrMode	TransferMode	1=Immediate 2=Deferred	29009	O	See 4.2.5
PosID	PositionID		2618	A	Position ID for regulatory reporting, see 4.2.2
CntgPx	PositionContingentPrice		1595	O	Price used to calculate variation margin in case a capital adjustment was done for single stock futures.
Hdr	Standard Header, see 2.1			A	
Clg.Mbr.	Pty	Parties	–	–	
	ID	PartyID		448	A Clearing Member ID
	R	PartyRole	4=Clearing Firm	452	A
Exc.Mbr	Pty	Parties	–	–	
	ID	PartyID		448	A Exchange Member ID
	R	PartyRole	1=Executing Firm	452	A
Account	Pty	Parties	–	–	
	ID	PartyID		448	A Account Number
	R	PartyRole	38=Position Account	452	A
Tra	Pty	Parties	–	–	

Always present, Optionally present ↓

FIXML Name	Field/Component Name	Valid Values	FIX Tag	Presence	Remarks
ID	PartyID		448	O	Subgroup+Trader Num., e.g. TRD001
	PartyRole	12=Executing Trader	452	O	
Pty	Parties	–	–	–	
ID	PartyID		448	O	Contains entering firm (for notification and for simplified outsourcing). Contains Eurex ID (“ECAG”) or ECC ID (“ECC”) in case of on-behalf actions by Eurex or ECC.
	PartyRole	7=Entering Firm	452	O	
Pty	Parties	–	–	–	
ID	PartyID		448	O	Contains entering user for notification and for simplified outsourcing via GUI
	PartyRole	36=Entering Trader	452	O	
Instrmt	Instrument, see 2.2		–	–	
ReltdInstrmt	RelatedInstrumentGrp		–	–	
InstrmtTyp	RelatedInstrumentType	102=Option instrument for futures creation	1648	O	
Sym	RelatedSymbol		1649	O	Can be [N/A].
StrkPx	RelatedStrikePrice		29000 <sup>3</sup>	O	Present for futures position creation, contains the strike price of the option.
Undly	UndInstrmtGrp		–	–	Group only present for notification/allocation, <i>PosTransType=1004</i>
Undly	UnderlyingInstrument		–	–	Single instance only.
ID	UnderlyingSecurityID		309	O	Contains the identifier of the clearing house for the deliverable.
Src	UnderlyingSecurityIDSource	8=Exchange Symbol	305	O	
Qty	PositionQty	–	–	A	
Typ	PosType	PA=Adjustment Qty	703	A	
Long	LongQty		704	A	
Short	ShortQty		705	A	
Qty	PositionQty	–	–	A	
Typ	PosType	TOT=Total Transaction Qty	703	A	
Long	LongQty		704	A	
Short	ShortQty		705	A	
Qty	PositionQty	–	–	A	

Always present, Optionally present ↓

FIXML Name	Field/Component Name	Valid Values	FIX Tag	Presence	Remarks
Typ	PosType	ALC=Allocation Trade Qty	703	A	
Long	LongQty		704	A	
Short	ShortQty		705	A	
Qty	PositionQty	–	–	A	
Typ	PosType	TRF=Transfer Trade Qty TX=Transaction from Exercise CAA=Corporate Action Adjustment DN=Delivery Notice Qty RCV=Receive Quantity AS=Option Assignment TQ=Transaction Quantity NEX=Total Abandon Quantity	703	O	See 4.2.5
Long	LongQty		704	O	
Short	ShortQty		705	O	

1. User-defined values not currently part of the FIX standard.

2. Custom usage, currently not part of the standard *PosMaintRpt*. See 5.3 "User-defined use of fields/components"

3. User-defined field. See 5.3 "User-defined use of fields/components"

## 4.2 Field usage

### 4.2.1 Transfer Reason

*TransferReason* (830) contains the Eurex-internal transaction type, which is also displayed on the Derivatives Clearing GUI:

Value	Meaning
100	Position Closing Adjustment
102	Position Transfer Internal
104	Position Transfer External by Clearing House
108	Position Opening Adjustment
110	Manual Exercise
111	Automatic Exercise
112	Exercise Adjustment
114	Assignment
115	Clearing House Transfer
117	Position Conversion
118	Position Adjustment Due to Capital Adjustment
120	Notification

Value	Meaning
122	Notification Adjustment
124	Allocation
126	Futures Position Creation
127	Abandon
129	Automatic Close-out
306	Position Transfer External
307	Position Transfer External with Cash Amount

#### 4.2.2 PositionID

*PositionID* (2618) is included for regulatory reporting. It contains a unique, variable-length, alphanumeric position identifier, which is up to 11 characters long. Each transaction in the same instrument, account and basket id is booked to the position ID established when the first such transaction is reported. Note that a position amount of “0” (e.g. due to exercise) does not delete the position ID. Once additional transactions in the same instrument are booked to the account (i.e. the amount is greater than 0 again) the same position ID will be referenced.

For further information on the usage of the *PositionID*, please refer to the EMIR reporting documentation available in the member section under <https://member.eurexclearing.com/> → Clearing Resources → EMIR Reporting

#### 4.2.3 Position conversion for standard contracts

In case due to a contract date change (holiday maintenance) a standard contract becomes identical to another standard contract; the system will inactivate one contract and perform a standard to standard position conversion. The interface will send the respective *PositionMaintenanceReport* messages to book-out positions from the inactive contract and book-in positions to the active contract (with *TransferReason* = 117). In such a situation, there will be no contract change message for the inactive contract, but a contract delete message for the inactive contract will be sent out on the business day where the booking out of the position takes place.

#### 4.2.4 Position conversion for flexible contracts

Should a flexible contract become identical to a standard contract, or – due to corporate action or expiration date change – identical to another flexible contract, the system will automatically convert the flexible positions. The interface will send the respective *PositionMaintenanceReport* messages to book-out the old position and book-in the new position (with *TransferReason*=117).

#### 4.2.5 Message structure matrix

The structure of the individual *PositionMaintenanceReport* messages depends on the change reported therein. All position update report messages contain three *PositionQty* groups of the types *PA* (Adjustment Quantity), *TOT* (Total Transaction Quantity) and *ALC* (Allocation Trade Quantity). Depending on the event reported, one additional *PositionQty* group will be included and *ExerciseMethod* (747) and *TransferMode* (29009) may be present:



Type of Position Update	TxnTyp (709)	PositionQty Groups of PosType (703)							ExrMethod (747)	TrnsfrMode (29009)
		PA	TRF	TX	AS	CAA	DN	RCV		
Position Close-out	1006=Close-out	x								
Position Re-open	1007=Re-open	x								
Internal Position Transfer	1000=Internal Transfer	x	x							1=Immediate
External Position Transfer by Clearing House	1001=Transfer of Firm	x	x							2=Deferred
External Position Transfer	1002=External Transfer	x	x							1=Immediate
External Position Transfer with Cash Amount	1002=External Transfer	x	x							1=Immediate
Clearing house transfer (cooperation product EOD processing)	1002=External Transfer	x	x							
Exercise	1=Exercise	x		x <sup>1</sup>					M=Manual	
Automatic Exercise	1=Exercise	x		x <sup>2</sup>					A=Automatic	
Exercise Adjustment	1=Exercise	x <sup>1</sup>		x <sup>2</sup>					M=Manual	
Assignment	1=Exercise	x			x <sup>3</sup>					
Position Adjustment Due to Capital Adjustment	1003=Corporate Action	x				x				
Position Conversion	1003=Corporate Action	x				x				
Notification	1004=Notification	x					x <sup>4</sup>			
Notification Adjustment	1004=Notification	x <sup>1</sup>					x <sup>5</sup>			
Allocation	1004=Notification	x						x <sup>6</sup>		
Futures Position Creation	1005=Position Creation	x <sup>1</sup>								

1. LongQty (704) only, positive values.

2. LongQty (704) only, negative values.

3. ShortQty (705) only.

4. ShortQty (705) only, positive values.

5. ShortQty (705) only, negative values.

6. LongQty (704) only.

## 5 Appendix – dictionary of user-defined fields and values

The Eurex Clearing FIXML Interface uses a small amount of user-defined values and fields, which are listed below. As a committed member of the FIX community, Eurex will work closely with all concerned bodies towards transitioning user-defined fields in the protocol specification and/or adapting the Eurex Clearing FIXML Interface to match the specification as closely as possible.

### 5.1 User-defined fields

FIX Tag	Field	Field Name	Data Type	Valid Values	Used in
25007	Txt1	FreeText1	String	See 3.3.5	TradeCaptureReport, PositionMaintenanceReport <a href="#">AllocationInstruction</a>
25008	Txt2	FreeText2	String	See 3.3.5	TradeCaptureReport, PositionMaintenanceReport <a href="#">AllocationInstruction</a>
25009	Txt3	FreeText3	String	See 3.3.5	TradeCaptureReport, PositionMaintenanceReport <a href="#">AllocationInstruction</a>
25010	GUTxt1	GiveUpFreeText1	String	See 3.3.5	TradeCaptureReport
25011	GUTxt2	GiveUpFreeText2	String	See 3.3.5	TradeCaptureReport
25012	GUTxt3	GiveUpFreeText3	String	See 3.3.5	TradeCaptureReport
25040	Txt1	AllocFreeText1	String	See 3.3.5	TradeCaptureReport, AllocationReport, AllocationInstruction
25041	Txt2	AllocFreeText2	String	See 3.3.5	TradeCaptureReport, AllocationReport, AllocationInstruction
25042	Txt3	AllocFreeText3	String	See 3.3.5	TradeCaptureReport, AllocationReport, AllocationInstruction
29000	StrkPx	RelatedStrikePrice	Price		PositionMaintenanceReport
29001	PosEfctActn	PositionEffectAction	int	1 = Opposite position opened	TradeCaptureReport
29009	TrnsfrMode	TransferMode	int	1=Immediate 2=Deferred	PositionMaintenanceReport
29010	SubTyp	RelatedSecuritySubType	String		TradeCaptureReport
30866	ContractDate	ContractDate	LocalMktDate	See 2.2	TradeCaptureReport PositionMaintenanceReport
30867	ContractFrequency	ContractFrequency	String	See 2.2	TradeCaptureReport PositionMaintenanceReport

### 5.2 User-defined values

FIX Tag	FIXML Name	Field Name	Additional Valid Values	Remarks	Used in
828	TrdTyp	TrdType	1000 = Vola Trade 1001 = EFP-Fin Trade 1002 = EFP-Index-Futures Trade 1004 = Transaction based Settlement 1006 = Enlight Triggered Trade 1007 = Block QTIPT Trade 1008 = Compression Trade <a href="#">1009 = VBAP On-Exchange Trade</a> <a href="#">1010 = VBAP TES1 Trade</a> <a href="#">1011 = VBAP TES 2 Trade</a>	User-defined enumeration	TCR, <a href="#">AI</a>
829	TrdSubTyp	TrdSubType	1000 = Open/Close Adjustment 1001 = Transaction Adjustment 1002 = Trade Split 1005 = Average Pricing 1006 = De-merge <a href="#">1007 = Assign to Group</a> <a href="#">1008 = De-assign from Group</a> <a href="#">1009 = Re-assign between Groups</a>	User-defined enumeration	TCR
709	TxnTyp	PosTransTyp	1000 = Internal Transfer 1001 = Transfer of Firm 1002 = External Transfer 1003 = Corporate Action 1004 = Notification 1005 = Position Creation 1006 = Close-out 1007 = Re-open	Temporary user-defined values; to be used until standard value has been defined by FPL.	PMR
71	TransTyp	AllocTransType	7 = Restate	Temporary user-defined value; to be used until standard value has been defined by FPL.	AR
1832	CIRD	ClearedIndicator	4 = Cleared with preliminary price	Temporary user-defined value; to be used until standard value has been defined by FPL.	TCR, AR
2376	Qual	PartyRoleQualifier	13=Source Account 14=Target Account	FIX standard defines values 13 and 14 differently	AI
2388	Qual	RootPartyRoleQualifier	13=Source Account 14=Target Account	FIX standard defines values 13 and 14 differently	TCR
<a href="#">819</a>	<a href="#">AvgPxInd</a>	<a href="#">AvgPxIndicator</a>	<a href="#">11 = VBAP – offset transaction</a> <a href="#">12 = VBAP – system-calculated transaction</a> <a href="#">13 = VBAP – tailor-made transaction</a> <a href="#">14 = VBAP – system-generated transaction</a>		<a href="#">AR</a>
<a href="#">1853</a>	<a href="#">AvgPxInd</a>	<a href="#">SideAvgPxIndicator</a>	<a href="#">11 = VBAP – offset transaction</a> <a href="#">12 = VBAP – system-calculated transaction</a> <a href="#">13 = VBAP – tailor-made transaction</a> <a href="#">14 = VBAP – system-generated transaction</a> <a href="#">100 = Unassign from group</a>		<a href="#">TCR</a>

FIX Tag	FIXML Name	Field Name	Additional Valid Values	Remarks	Used in
796	CxlRplcRsn	AllocCancReplaceReason	<a href="#">100=(Un)Grouping</a> <a href="#">101=Allocation out of the group</a> <a href="#">102=Cancel Allocation out of the group</a> <a href="#">103=Cancel Group</a> <a href="#">104=Mistrade</a>		<a href="#">AIA</a>

### 5.3 User-defined use of fields/components

The Eurex Clearing FIXML Interface uses a small range of standard fields/components in other message types than foreseen by the FIX protocol.

- The *RelatedInstrumentGroup* has been included in the *TradeCaptureReport* message (as part of *TradeReportOrderDetail*).
- *TradeMatchTimestamp* (1888) has been included in the *AllocationReport* message
- *ClearedIndicator* (1832) has been included in the *AllocationReport* message.
- [SecondaryAllocID \(793\) has been included in the TradeCaptureReport message \(as part of the TrdCapRptSideGrp\) in context of Value Based Average Pricing.](#)
- [TradePublishIndicator \(1390\) has been included in the AllocationReport message.](#)

### 5.4 Omitted fields

The fields *PartyIDSource* (447), *NestedPartyIDSource*(525) and *RootPartyIDSource* (1118), respectively, are conditionally required by the FIX standard. For efficiency reasons, the Eurex Clearing FIXML Interface generally does not include these fields. Member applications validating against standard templates should assume that the field value is always 'D=Proprietary/Custom code'.